

**PROFORMA FOR MONTHLY STATEMENT OF MINIMUM FLOW D/S OF  
DIVERSION HEADWORKS TO BE SUBMITTED TO HPSPCB BY HYDEL PROJECTS**

NAME & ADDRESS OF PROJECT: HIMSHAKTI POWER PRIVATE LIMITED

MONTH FOR WHICH STATEMENT IS SUBMITTED: July-2011

**NOTES:**


- i. All quantities are to be reported either in cumecs or cusecs.
- ii. Details are to be submitted for each calendar date of the month for which report is being submitted and report is to be submitted before 7<sup>th</sup> day of the following month to the Member-Secretary along with copy to the concerned Assistant Environmental Engineer/Environmental Engineer of the Regional Office of HPSPCB who will verify the statement and submit it duly verified within 7 days thereafter.

Dates	Observed inflow in the diversion Structures.	Minimum inflow observed during lean seasons in the Diversion structures	Flow immediately D/S of diversion structures			Method of measurement indicating device used	Remarks
			Required to be released as per Notification by the State Govt.	Flow actually released	Shortfall if any with reasons		
1.	7.986	1.38	0.207	1.198	no	V-Notch	
2.	5.789	1.38	0.207	0.868	no	V-Notch	
3.	3.556	1.38	0.207	0.533	no	V-Notch	
4.	3.530	1.38	0.207	0.530	no	V-Notch	
5.	3.126	1.38	0.207	0.469	no	V-Notch	
6.	2.693	1.38	0.207	0.404	no	V-Notch	
7.	1.850	1.38	0.207	0.278	no	V-Notch	
8.	11.964	1.38	0.207	1.795	no	V-Notch	
9.	14.567	1.38	0.207	2.185	no	V-Notch	
10.	10.136	1.38	0.207	1.520	no	V-Notch	
11.	8.766	1.38	0.207	1.315	no	V-Notch	
12.	7.496	1.38	0.207	1.124	no	V-Notch	
13.	7.080	1.38	0.207	1.062	no	V-Notch	
14.	6.833	1.38	0.207	1.025	no	V-Notch	
15.	6.793	1.38	0.207	1.019	no	V-Notch	
16.	6.193	1.38	0.207	0.929	no	V-Notch	
17.	5.798	1.38	0.207	0.870	no	V-Notch	
18.	5.679	1.38	0.207	0.852	no	V-Notch	
19.	5.327	1.38	0.207	0.799	no	V-Notch	
20.	5.168	1.38	0.207	0.775	no	V-Notch	
21.	5.156	1.38	0.207	0.773	no	V-Notch	
22.	5.149	1.38	0.207	0.772	no	V-Notch	
23.	5.962	1.38	0.207	0.894	no	V-Notch	
24.	5.882	1.38	0.207	0.882	no	V-Notch	
25.	9.543	1.38	0.207	1.431	no	V-Notch	
26.	6.768	1.38	0.207	1.015	no	V-Notch	
27.	6.565	1.38	0.207	0.985	no	V-Notch	
28.	6.138	1.38	0.207	0.921	no	V-Notch	
29.	5.549	1.38	0.207	0.832	no	V-Notch	
30.	5.138	1.38	0.207	0.771	no	V-Notch	
31.	4.818	1.38	0.207	0.723	no	V-Notch	

Name & designation of the person submitting the statement

Vinod Kumar

(Project Manager)

  
Signature

**PROFORMA FOR MONTHLY STATEMENT OF MINIMUM FLOW D/S OF DIVERSION HEADWORKS TO BE SUBMITTED TO HPSPCB BY HYDEL PROJECTS**

NAME & ADDRESS OF PROJECT: HIMSHAKTI POWER PRIVATE LIMITED

MONTH FOR WHICH STATEMENT IS SUBMITTED: August-2011

**NOTES:**

- i. All quantities are to be reported either in cumecs or cusecs.
- ii. Details are to be submitted for each calendar date of the month for which report is being submitted and report is to be submitted before 7<sup>th</sup> day of the following month to the Member-Secretary along with copy to the concerned Assistant Environmental Engineer/Environmental Engineer of the Regional Office of HPSPCB who will verify the statement and submit it duly verified within 7 days thereafter.

Dates	Observed inflow in the diversion Structures.	Minimum inflow observed during lean seasons in the Diversion structures	Flow immediately D/S of diversion structures			Method of measurement indicating device used	Remarks
			Required to be released as per Notification by the State Govt.	Flow actually released	Shortfall if any with reasons		
1.	4.368	1.38	0.207	0.655	no	V-Notch	
2.	4.311	1.38	0.207	0.647	no	V-Notch	
3.	3.973	1.38	0.207	0.596	no	V-Notch	
4.	4.108	1.38	0.207	0.616	no	V-Notch	
5.	4.011	1.38	0.207	0.602	no	V-Notch	
6.	3.967	1.38	0.207	0.595	no	V-Notch	
7.	5.936	1.38	0.207	0.890	no	V-Notch	
8.	-	1.38	0.207	-	no	V-Notch	Discharge
9.	-	1.38	0.207	-	no	V-Notch	Not taken
10.	-	1.38	0.207	-	no	V-Notch	Due to
11.	-	1.38	0.207	-	no	V-Notch	heavy
12.	-	1.38	0.207	-	no	V-Notch	rain
13.	-	1.38	0.207	-	no	V-Notch	
14.	-	1.38	0.207	-	no	V-Notch	
15.	-	1.38	0.207	-	no	V-Notch	
16.	-	1.38	0.207	-	no	V-Notch	
17.	29.763	1.38	0.207	4.464	no	V-Notch	
18.	27.66	1.38	0.207	4.149	no	V-Notch	
19.	26.467	1.38	0.207	3.970	no	V-Notch	
20.	23.567	1.38	0.207	3.535	no	V-Notch	
21.	21.109	1.38	0.207	3.166	no	V-Notch	
22.	18.247	1.38	0.207	2.737	no	V-Notch	
23.	16.93	1.38	0.207	2.540	no	V-Notch	
24.	14.325	1.38	0.207	2.149	no	V-Notch	
25.	12.564	1.38	0.207	1.885	no	V-Notch	
26.	11.733	1.38	0.207	1.760	no	V-Notch	
27.	11.332	1.38	0.207	1.700	no	V-Notch	
28.	11.013	1.38	0.207	1.652	no	V-Notch	
29.	10.665	1.38	0.207	1.600	no	V-Notch	
30.	10.426	1.38	0.207	1.564	no	V-Notch	
31.	9.968	1.38	0.207	1.495	no	V-Notch	

Name & designation of the person submitting the statement

Vinod Kumar

Project Manager

  
Signature



**PROFORMA FOR MONTHLY STATEMENT OF MINIMUM FLOW D/S OF  
DIVERSION HEADWORKS TO BE SUBMITTED TO HPSPCB BY HYDEL PROJECTS**

NAME & ADDRESS OF PROJECT: HIMSHAKTI POWER PRIVATE LIMITED

MONTH FOR WHICH STATEMENT IS SUBMITTED: September-2011

**NOTES:**


- i. All quantities are to be reported either in cumecs or cusecs.
- ii. Details are to be submitted for each calendar date of the month for which report is being submitted and report is to be submitted before 7<sup>th</sup> day of the following month to the Member-Secretary along with copy to the concerned Assistant Environmental Engineer/Environmental Engineer of the Regional Office of HPSPCB who will verify the statement and submit it duly verified within 7 days thereafter.

Dates	Observed inflow in the diversion Structures.	Minimum inflow observed during lean seasons in the Diversion structures	Flow immediately D/S of diversion structures			Method of measurement indicating device used	Remarks
			Required to be released as per Notification by the State Govt.	Flow actually released	Shortfall if any with reasons		
1.	8.962	1.38	0.207	1.344	no	V-Notch	
2.	7.536	1.38	0.207	1.130	no	V-Notch	
3.	6.937	1.38	0.207	1.041	no	V-Notch	
4.	6.866	1.38	0.207	1.030	no	V-Notch	
5.	6.809	1.38	0.207	1.021	no	V-Notch	
6.	6.801	1.38	0.207	1.020	no	V-Notch	
7.	6.794	1.38	0.207	1.019	no	V-Notch	
8.	6.790	1.38	0.207	1.019	no	V-Notch	
9.	6.958	1.38	0.207	1.044	no	V-Notch	
10.	6.993	1.38	0.207	1.049	no	V-Notch	
11.	6.875	1.38	0.207	1.031	no	V-Notch	
12.	6.836	1.38	0.207	1.025	no	V-Notch	
13.	6.753	1.38	0.207	1.013	no	V-Notch	
14.	6.710	1.38	0.207	1.007	no	V-Notch	
15.	6.684	1.38	0.207	1.003	no	V-Notch	
16.	6.957	1.38	0.207	1.044	no	V-Notch	
17.	6.941	1.38	0.207	1.041	no	V-Notch	
18.	6.846	1.38	0.207	1.027	no	V-Notch	
19.	6.734	1.38	0.207	1.010	no	V-Notch	
20.	6.384	1.38	0.207	0.958	no	V-Notch	
21.	5.838	1.38	0.207	0.876	no	V-Notch	
22.	5.810	1.38	0.207	0.872	no	V-Notch	
23.	5.768	1.38	0.207	0.865	no	V-Notch	
24.	5.208	1.38	0.207	0.781	no	V-Notch	
25.	4.942	1.38	0.207	0.741	no	V-Notch	
26.	4.634	1.38	0.207	0.695	no	V-Notch	
27.	4.340	1.38	0.207	0.651	no	V-Notch	
28.	4.116	1.38	0.207	0.617	no	V-Notch	
29.	4.004	1.38	0.207	0.601	no	V-Notch	
30.	3.822	1.38	0.207	0.573	no	V-Notch	

Name & designation of the person submitting the statement

Vinod Kumar  
Asst. Engineer

Signature



**PROFORMA FOR MONTHLY STATEMENT OF MINIMUM FLOW D/S OF  
DIVERSION HEADWORKS TO BE SUBMITTED TO HPSPCB BY HYDEL PROJECTS**

NAME & ADDRESS OF PROJECT: HIMSHAKTI POWER PRIVATE LIMITED

MONTH FOR WHICH STATEMENT IS SUBMITTED: October-2011

**NOTES:**

- i. All quantities are to be reported either in cumecs or cusecs.
- ii. Details are to be submitted for each calendar date of the month for which report is being submitted and report is to be submitted before 7<sup>th</sup> day of the following month to the Member-Secretary along with copy to the concerned Assistant Environmental Engineer/Environmental Engineer of the Regional Office of HPSPCB who will verify the statement and submit it duly verified within 7 days thereafter.

Dates	Observed inflow in the diversion Structures.	Minimum inflow observed during lean seasons in the Diversion structures	Flow immediately D/S of diversion structures			Method of measurement indicating device used	Remarks
			Required to be released as per Notification by the State Govt.	Flow actually released	Shortfall if any with reasons		
1.	3.654	1.38	0.207	0.548	no	V-Notch	
2.	3.528	1.38	0.207	0.529	no	V-Notch	
3.	4.116	1.38	0.207	0.617	no	V-Notch	
4.	4.102	1.38	0.207	0.615	no	V-Notch	
5.	3.528	1.38	0.207	0.529	no	V-Notch	
6.	3.516	1.38	0.207	0.527	no	V-Notch	
7.	3.419	1.38	0.207	0.513	no	V-Notch	
8.	3.202	1.38	0.207	0.480	no	V-Notch	
9.	2.926	1.38	0.207	0.439	no	V-Notch	
10.	2.894	1.38	0.207	0.434	no	V-Notch	
11.	2.816	1.38	0.207	0.422	no	V-Notch	
12.	2.758	1.38	0.207	0.414	no	V-Notch	
13.	2.640	1.38	0.207	0.396	no	V-Notch	
14.	2.627	1.38	0.207	0.394	no	V-Notch	
15.	2.621	1.38	0.207	0.393	no	V-Notch	
16.	2.618	1.38	0.207	0.393	no	V-Notch	
17.	2.614	1.38	0.207	0.392	no	V-Notch	
18.	2.602	1.38	0.207	0.390	no	V-Notch	
19.	2.597	1.38	0.207	0.390	no	V-Notch	
20.	2.592	1.38	0.207	0.389	no	V-Notch	
21.	2.574	1.38	0.207	0.386	no	V-Notch	
22.	2.551	1.38	0.207	0.383	no	V-Notch	
23.	2.482	1.38	0.207	0.372	no	V-Notch	
24.	2.336	1.38	0.207	0.350	no	V-Notch	
25.	2.308	1.38	0.207	0.346	no	V-Notch	
26.	2.120	1.38	0.207	0.318	no	V-Notch	
27.	2.112	1.38	0.207	0.317	no	V-Notch	
28.	2.016	1.38	0.207	0.302	no	V-Notch	
29.	2.003	1.38	0.207	0.300	no	V-Notch	
30.	1.980	1.38	0.207	0.297	no	V-Notch	
31.	1.967	1.38	0.207	0.295	no	V-Notch	

Name & designation of the person submitting the statement

Vinod Kumar  
Project Manager

  
Signature

